Cisco

300-435 Exam

Cisco Automating Cisco Enterprise Solutions (ENAUTO) Exam

Questions & Answers
(Demo Version – Limited Content)

Thank you for Downloading 300-435 exam PDF Demo

Version: 4.0

Question: 1

What are two characteristics of RPC API calls? (Choose two.)

A. They can be used only on network devices.
B. They use only UDP for communications.
C. Parameters can be passed to the calls.
D. They must use SSL/TLS.
E. They call a single function or service.

Answer: AC

Reference:
https://pubs.opengroup.org/onlinepubs/9629399/chap6.htm

Question: 2

Which two actions do Python virtual environments allow users to perform? (Choose two.)

A. Simplify the CI/CD pipeline when checking a project into a version control system, such as Git.
B. Efficiently port code between different languages, such as JavaScript and Python.
C. Run and simulate other operating systems within a development environment.
D. Quickly create any Python environment for testing and debugging purposes.
E. Quickly create an isolated Python environment with module dependencies.

Answer: DE

Reference:
https://realpython.com/python-virtual-environments-a-primer/

Question: 3

DRAG DROP
Drag and drop the commands to the Ansible playbook that applies configuration to an interface on a Cisco IOS XE device. Not all options are used.

Answer Area

ioscmd	interface
parents	iosxe
iosconfig	ios_config

```
- name: configure interface settings
    [          ]:
        lines:
            -ip address 172.31.1.1 255.255.255.0
            -no shutdown
    [          ]: interface GigabitEthernet1/0
```

Answer:

```
- name: configure interface settings
    [ios_config]:
        lines:
            -ip address 172.31.1.1 255.255.255.0
            -no shutdown
            [parents]: interface GigabitEthernet1/0
```

Reference:
http://imxing.cn/?p=464

Question: 4

Refer to the exhibit.

```
return_val=
{
    "alertId": "6434517967656725516",
    "alertType": "appliances went down",
    "deviceMac": "e0:55:3d:6c:c1:7a",
    "deviceName: "MX65 c1:7a",
    "deviceSerial": "Q2QN-58EA-XXXX",
    "deviceUrl": "https://n143.meraki.com/Branch-1/n/.../manage/nodes/new_wired_status",
    "networkId": "L_1234567890",
    "networkName": "Branch 1",
    "networkUrl": "https://n143.meraki.com/Branch-1/n/.../manage/nodes/wired_status",
    "occuredAt": "2018-11-10T18:45:20.000000Z",
    "organizationId": "1234567",
    "organizationName": "Meraki Demo",
    "organizationUrl": "https://n143.meraki.com/o/.../manage/organization/overview",
    "sentAt: "2018-11-10T18:50:30.479982Z",
    "SharedSecret": "asdf1234",
    "version": "0.1"
}
```

The task is to create a Python script to display an alert message when a Meraki MX Security Appliance goes down. The exhibit shows sample data that is received. Which Python snippet displays the device name and the time at which the switch went down?

```
A.  with return_val:
        print("The Switch: "+deviceName+ ",
        went down at: "+occurredAt)

B.  print("The Switch: "+return_val.deviceName+ ", \
    went down at: "+return_val.occurredAt)

C.  print("The Switch: "+return_val['deviceName']+ ", \
    went down at: "+return_val['occurredAt']")

D.  with items as return_val:
        print("The Switch: "+items.deviceName+ ",
        went down at: "+items.occurredAt)
```

A. Option A
B. Option B
C. Option C
D. Option D

Answer: B

Question: 5

Refer to the exhibit.

```
{
  "alertData": {
    "countNode": 1,
      "bssids": [
        "aa:bb:cc:dd:ee:ff",
        "11:22:33:44:55:66"
      ],
      "minFirstSeen": 1548512334,
      "maxLastSeen": 1548512802,
      "countIsContained": 0,
      "reason": "Seen on LAN",
      "wiredMac": "aa:bb:cc:dd:ee:f0"
  },
  "alertId": "629378047939282802",
  "alertType": "Air Marshal -Roque AP detected",
  "occuredAt": "2019-01-26T14:18:54.000000Z",
  "organizationId": "123456",
  "organizationName": "Organization",
  "organizationUrl": "https://n1.meraki.com/o/.../manage/organization/overview",
  "networkId": "L_123456789012345678",
  "networkName": "Network",
  "networkUrl": "https://n1.meraki.com/.../manage/nodes/list",
  "version": "0.1"
  "SharedSecret": "supersecret",
  "sentAt: "2019-01-26T14:35:20.442869Z",
}
```

The goal is to write a Python script to automatically send a message to an external messaging application when a rogue AP is detected on the network. The message should include the broadcast SSID that is in the alert. A function called "send_to_application" is created, and this is the declaration:

send_to_application(message)

The exhibit also shows the data that is received by the application and stored in the variable return_val. Which Python code completes the task?

```
A.  bssids =return_val["bssids"]
    for number in range(return_val["alertData"]["countNode"]):
        send_to_application ("ALERT: detected a bssid on the
        network: "+ return_val["alertData"][bssids][number])

B.  bssids =return_val["bssids"]
    for value in bssids:
        send_to_application ("ALERT: detected a bssid on the
        network: "+value)

C.  count = retutn_val["alertData"]["countNode"]
    bssids =return_val["alertData"][count]["bssids"]
    for value in bssids:
        send_to_application ("ALERT: detected a bssid on the
        network: "+value)

D.  bssids =return_val["alertData"]["bssids"]
    for value in bssids:
        send_to_application ("ALERT: detected a bssid on the
        network: "+value)
```

A. Option A
B. Option B
C. Option C
D. Option D

Answer: A

Explanation
For number in range value is required for the application to send the alert. Bssids are also included.

Thank You for trying 300-435 PDF Demo